

UF ORTHODONTIC  
APPLIANCES

ACTIVATORS \* MONOBLOCS: 1947 -1974.

- 1974: Cunat, John J. Activators: an orthopedic puzzle. Amer. J. Orth. 65:16-27, Jan, 1974.
- Woodside, Donal G. The activator. (In Salzman, J.A., Orthodontics in daily practice, Phil. Lippincott, 1974 pp. 556-91)
- 1973: Ahlgren J. A longitudinal clinical and cephalometric study of 50 malocclusion cases treated with activator appliances. Trans. Eur. Orthod. Soc. 285-93, 1973.
- Demisch A. Effects of activator therapy on the craniofacial skeleton in class II, division 1 malocclusion. A Trans. Eur. Orthod. Soc. 295-310, 1973.
- Herren P. et al. The palpation phenomenon of the condyle at the external auditory meatus during treatment of Class II division 1 anomalies by means of activators. Trans. Eur. Orthod. Soc. 339-51, 1973.
- Schienbein H. Modification of the Adresen-Haupl activator. Quintessence Int. 4:57-62; Sept. 1973; 4:49-55, Nov. 1973; 4:59-64. Oct. 1973.
- Valinoti, J.R. The European Activator: its basis and use. Amer. J. Orth. 63:561-580. June, 1973.
- 1971: Boyko R. Use of the activator in mixed dentition. Proc. Found. Orthod. Res. 91-134, 1971.

ACTIVATORS - MONOBLOCS: 1947- 1972

- 1972: Pfeiffer, J. P. Simultaneous use of cervical appliance and activator: an orthodontic approach to fixed appliance therapy. Am. J. Orthod. 61: 353-373. April, 1972.
- 1971: Ruhland, A. The elastic open activator. Quintessence Int. 2: 49-50. Feb., 1971.
- 1970: Dahan, J. Static and dynamic morphology before and after functional treatment with the activator. Europ. Orthod. Soc. Rep. Congr. 255-273, 1969.
- Hotz, R. P. Application and appliance manipulation of functional forces. Amer. J. Orthod. 58: 459-478. Nov., 1970.
- Karwetsky, R. The Karwetsky U-clasp activator. Quintessence Int. 1: 51-55. Aug., 1970.
- 1969: Eirew, G. Application of the activator in Rhesus monkey. Europ. Orthod. Soc. Rep. Congr. 44: 141-146, 1968.
- Frankel, R. The treatment of Class II, Division I malocclusion with functional correctors. Amer. J. Orthod. 55: 265-275. Mar., 1969.
- The functional matrix and its practical importance in orthodontics. Europ. Orthod. Soc. Rep. Congr. 207-218, 1969.
- Hasund, A. The use of activators in a system employing fixed appliances. Europ. Orthod. Soc. Rep. Congr. 329-241, 1969.
- Hausser, E. Possibilities of functional treatment. Europ. Orthod. Soc. Rep. Congr. 283-291, 1969.
- Parkhouse, R. C. A cephalometric appraisal of cases of Angle's Class II Division I malocclusion treated by the Andresen appliance. Trans. Brit. Soc. Study of Orthod. 55: 61-70, 1968-69.
- Roth, The modified monobloc appliance in scoliosis treatment. Amer. J. Orthod. 55: 506-509. May, 1969.
- Shugarman, L. E. The "activator". NACDL J. 16: 5-6. Mar., 1969.
- 1968: Lieb, G. Application of the activator in Rhesus monkey. Europ. Orthod. Soc. Rep. Congr. 44: 141-146. June, 1968.
- Posen, A. L. The monobloc. Angle Orthod. 38: 121-128. April, 1968.
- Trayfoot, J. Angle Class II malocclusions treated by the Andresen method. An analysis of 17 cases. Brit. Dent. J. 124: 516-519. June 4, 1968.
- 1967: Freunthaller, P. Cephalometric observation in Class II Division I malocclusions treated with the activator. Angle Orthod. 37: 18-25. Jan., 1967.
- Rinderer, L. Difficulties and failures in the use of bimaxillary functional orthopaedic appliances. Europ. Orthod. Soc. Rep. Congr. 73-81, 1967.

- 1966: Rix, R. E. Further thoughts on monobloc therapy. Dent. Pract. 16: 389-400. June, 1966.
- Thilander, B. and others. Muscle activity related to activator and intermaxillary traction in Angle Class II Division I malocclusions. An electromyographic study of the temporal, masseter and suprathyoid muscles. Acta Odont. Scand. 24: 24-57. Sept., 1966.
- Gupta, D. S. Orthodontic treatment with the help of the monobloc, its construction and trimming procedure. J. All India Dent. Assoc. 38: 39-40. Feb., 1966.
- 1965: Dickson, G. C. (Symposium on functional therapy) I: A survey of 100 cases treated with the Andresen appliance. Dent. Pract. 15: 255-258. Mar., 1965.
- Grossman, W. II: The activator in Class II malocclusion. Dent. Pract. 15: 258-260. Mar., 1965.
- \_\_\_\_ and Moss, J. P. Functional appliance therapy. Dent. Pract. 15: 190-193. Jan., 1965.
- 1964: Grossman, W. and Moss, J. P. Role of functional jaw orthopaedics in orthodontics. D. Pract. 14: 405-412. June, 1964.
- Reichborn-Kjennerud, A. M. Functional adaptation of the temporomandibular joints and bite raising by means of and Andresen-Haupl activator in a case of distocclusion. Odont. Tid. 72: 305-311. no. 4, 1964.
- Stockfisch, H. Experience in active and functional plate treatment and the utilization of kinetic muscle energy in jaw-orthopedic methods. Internat. J. Orthod. 2: 24-32 July, 1964.
- Westbrook, A. Practical and clinical assessment of treatment by elastic activator. Brit. Soc. Study Orthod. Tr. 155-162, 1963.
- 1963: Robertson, N. R. E. Andresen appliance in the treatment of Angle Class II division I malocclusions. Brit. Dent. J. 114: 262-264. April 2, 1963.
- Rodger, A. Self-activating labial arch. Brit. Dent. J. 115: 377-378. Nov. 5, 1963.
- Takahama, Y. Activator (Andresen-Haupl): its concept and indication. J. Indonesian D. A. 13: 3-7 April, 1963.
- 1962: Hovell, J. H. Some comments upon the Andresen appliance. Angle Orthod. 32: 180-186. July, 1962.
- 1961: Ahlgren, J. Response to activator therapy. Dent. Abstr. 6: 488-489. Aug., 1961.
- Wheatly, A.E. Andresen appliance. D. Technician. 14: 23-28. Mar., 1961.
- 1959: Herren, Paul. Activator's mode of action. Am. J. Orthod. 45:512-527. July, 1959.
- 1957: Petrik, L. Possibilities and limitations of orthodontic treatment with activators. D. Abstr. 2: 435-437. July, 1957.
- Rehak, R. Possibilities and limitations of functional orthodontic appliances. D. Abstr. 2: 530-532. Sept., 1957.

- Weise, W. New method for construction of orthodontic activators.  
D. Abstr. 2: 23-24. Jan., 1957.
- 1956: Bescombes, A. and Soulet, R. "Propulsor" in functional orthodontics.  
D. Abstr. 1: 86-87. Feb., 1956.
- Glass, D. F. Variations on a scheme by Andresen. D. Pract. 6: 346-347  
July, 1956.
- 1954: Iyer, V. S. Construction of the activator for treating cases with a  
distal step in the profile. J. All India D. A. 26: 1-9, April;  
1-2, May, 1954.
- Anderson, H. Determining optimum orientation of the jaws for monobloc.  
D. Record 74: 34-35. Mar., 1954
- 1953 Angelman, J. Functional therapy in the treatment of orthodontic cases.  
Internat. D. J. 3: 76-78. Sept., 1952.
- Bimpler, H. P. Functional orthodontic treatment with elastic appliances.  
Internat. D. J. 3: 219-221. Dec., 1952.
- Hoffer, O. New appliances in functional jaw orthopedics. Europ. Orthod.  
Soc. Tr. 115-120, 1949.
- Mühlemann, H. R. Indication of different functional appliances in the  
treatment of Class II, Division I. Europ. Orthod. Soc. Tr. 121-  
128, 1949.
- Wilson, H. E. Myofunctional appliances. Dent. Pract. 4: 70-78. Nov., 1953.
- Gresham, H. Andresen therapy. Austral. J. Den. 57: 316-322. Dec., 1953.
- Grude, R. Myofunctional therapy. Am. J. Orthod. 39: 391-392. May, 1953.
- Myo-functional therapy. A review of various cases some years  
after their treatment by the Norwegian system had been completed.  
Europ. Orthod. Soc. Tr. 251-280. 1951.
- Hoffberg, O. Indications and contraindications for the "Norwegian"  
system. Europ. Orthod. Soc. Tr. 31-33, 1947-48.
- Softley, J. W. Cephalometric changes in seven "post-normal" cases  
treated by the Andresen method. D. Record. 73: 485-494. May, 1953.
- 1952: Angelman, J. Functional therapy in the treatment of orthodontic cases.  
Minerva Stomat. 1: 102-106. June-July, 1952.
- Gresham, H. Mandibular changes in Andresen treatment of Angle Class II  
malocclusion. New Zealand D. J. 48: 10-36. Jan., 1952.
- Lawes, A. G. H. Outline of the Norwegian system of orthodontic treatment.  
D. J. Austral. 23: 408-418. Nov.-Dec., 1951.
- 1951: Bjork, A. Principle of the Andresen method of orthodontic treatment; a  
discussion based on cephalometric x-ray analysis of treated cases.  
Amer. J. Orthod. 37: 437-458. June, 1951.
- Madsen, B. C. Functional malocclusion in orthodontics. Am. J. Orthod.  
37: 662-669. Sept., 1951.

- 1949: Peacock, A. S. Functional appliances. Mouth Mirror. 23: 80-82. June, 1949
- Wachsman, C. Treatment of irregularities of the teeth and the jaws by means of activators (Robin-Andresen Method). Am. J. Orthod. 35: 61-68. Jan., 1949.
- 1948: Hooton, A. G. Norwegian system of orthodontic treatment. New Zealand D. J. 44: 83-94. April, 1948; D. J. Austral. 20: 488-511. Oct., 1948.
- Marsh, L. R. Functional treatment in orthodontics. A practical survey of modern trends of thought. Austral. D. Cong. (11th). Proc. 275-288, 1948.
- 1947: Caseley, R. Principles and construction of the oral screen as a functional appliance. Brit. Soc. Study Orthod. Tr. 81-87. 1947.
- Endicott, C. L. Functional jaw orthopaedics. D. Record. 67: 190-193. Aug.-Sept., 1947.
- \_\_\_\_\_ and others. Practical and theoretical observations on the Norwegian system. (A symposium by three dental surgeons). Brit. Soc. Study of Orthod. Tr. 31-52, 1947.

VF ORTHODONTIC APPLIANCES

ACTIVATORS - MONOBLOCS: 1973-76.

1973: Hausser, E. Functional orthodontic treatment with the activator. Trans. Eur. Orthod. Soc.: 427-30, 1973.

Woodside, D.G. Some effects of activator treatment on the mandible and midface. Trans. Eur. Orthod. Soc.: 443-7, 1973.

1974: Jorgensen, S.E. Activators in orthodontic treatment: indications and advantages. Amer. J. Orthod. 65:260-69, March 1974.

1975: Neira, O. The use of lingual and palatal bars in Schwarz modified plates and activators. pp. 334-7. In: Cook, J.T. ed. Transactions of the Third International Orthodontic Congress. London, Staples, 1975.

Pfeiffer, J.P. et al. The class II malocclusion: differential diagnosis and clinical application of activators, extraoral traction, and fixed appliances. Am. J. Orthod. 68(5):499-544, Nov. 1975.

Pfeiffer, J.P., et al. Simultaneous use of cervical appliance and activator: an orthopedic approach to fixed appliance therapy. pp. 324-33. In: Cook, J.T. ed. Transactions of the Third International Orthodontic Congress. London, Staples, 1975.

Woodside, D.G., et al. Some effects of activator treatment on the growth rate of the mandible and position of the midface. pp. 459-80 In: Cook, J.T. ed. Transactions of the Third International Orthodontic Congress. London, Staples, 1975.

1976: Ahlgren, J., et al. Late results of activator-treatment: a cephalometric study. British J. Orthod. 3(3): 181-7, 1976.

Pancherz, H. Long-term effects of activator (Andresen appliance) treatment. A clinical, biometric, cephalometric roentgenographic and functional analysis. Odontol. Revy 27(35 suppl):1-70, 1976.